

BANJO®

Liquid Handling Products

CATALOG #64 2024


BANJO LIQUID HANDLING PRODUCTS

CONNECT WITH CONFIDENCE™

CATALOG #65 EFFECTIVE OCTOBER 2023

2024

IDEX



¼"-4" POLYPROPYLENE

FEATURES

- Stainless steel rings, arms and pins
- Versatile — interchangeable with all types of cam lever couplings
- Precision molded — ensures a uniform and accurate fit
- Durable — polypropylene is glass reinforced for rugged strength
- Smooth operating — finger rings are designed for easy opening of cam levers
- Economical and superior in performance
- Where noted, parts must be ordered in bag quantities
- ¼" and ½" series couplings interchange with ¾" size couplings. Coupling ends are ¾" size.
- 1¼" series couplings interchange with 1" size couplings. Coupling ends are 1" size.
- 1½" x 1¼" couplings interchange with 1½" size couplings. Coupling ends are 1½" size.

POLYPROPYLENE CAM LEVER COUPLINGS

ITEM	DESCRIPTION	¼"	½"	¾"	1"	1¼"	1½" x 1¼"	1½"	2"	2½"	3"	3" 3 ARMS	4" 3 ARMS
A	MALE ADAPTER X FEMALE THREAD	75A1/4	75A1/2	75A3/4	100A	125A	150125A	150A	200A		300A		400A
B	FEMALE COUPLER X MALE THREAD		75B1/2	75B3/4	100B	125B	150125B	150B	200B		300B	303B	400B
C	FEMALE COUPLER X HOSE BARB		050C	075C	100C	125C	150125C	150C	200C		300C	303C	400C
D	FEMALE COUPLER X FEMALE THREAD		050D	075D	100D	125D	150125D	150D	200D		300D		400D
E	MALE ADAPTER X HOSE BARB		050E	075E	100E	125E	150125E	150E	200E		300E		400E
F	MALE ADAPTER X MALE THREAD		050F	075F	100F	125F	150125F	150F	200F		300F		400F
PL	PLUG FOR FEMALE COUPLER		75PL	75PL	100125PL	100125PL	150PL	150PL	200PL		300PL		400PL
CAP	CAP FOR MALE ADAPTER		075CAP	075CAP	100125CAP	100125CAP	150CAP	150CAP	200CAP	250CAP	300CAP		400CAP (2 arms)
CAPSH	CAP WITH SHORT ARMS						200CAPSH						

¼" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
75A1/4	¾" MALE ADAPTER X ¼" FEMALE THREAD	300	N/A	10/BAG

½" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
75A1/2	¾" MALE ADAPTER X ½" FEMALE THREAD	225	N/A	10/BAG
75B1/2	¾" FEMALE COUPLER X ½" MALE THREAD	300	EPDM	10/BAG
050C	¾" FEMALE COUPLER X ½" HOSE BARB	300	EPDM	10/BAG
050D	¾" FEMALE COUPLER X ½" FEMALE THREAD	300	EPDM	10/BAG
050E	¾" MALE ADAPTER X ½" HOSE BARB	300	N/A	10/BAG
050F	¾" MALE ADAPTER X ½" MALE THREAD	300	N/A	10/BAG
075CAP	¾" CAP X MALE ADAPTER	300	EPDM	10/BAG
75PL	¾" PLUG X FEMALE COUPLER	300	N/A	10/BAG



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.

CAM LEVER COUPLINGS

¼"-4" POLYPROPYLENE

FEATURES

- Stainless steel rings, arms and pins
- Versatile — interchangeable with all types of cam lever couplings
- Precision molded — ensures a uniform and accurate fit
- Durable — polypropylene is glass reinforced for rugged strength
- Smooth operating — finger rings are designed for easy opening of cam levers
- Economical and superior in performance
- Standard with EPDM gaskets, FKM gaskets can be ordered separately on page 79
- Where noted, parts must be ordered in bag quantities
- ¼",⅜" and ½" series couplings interchange with ¾" size couplings. Coupling ends are ¾" size.
- 1¼" series couplings interchange with 1" size couplings. Coupling ends are 1" size.
- 1½" x 1¼" couplings interchange with 1½" size couplings. Coupling ends are 1½" size.



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.

¾" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
75A3/4	¾" MALE ADAPTER X ¾" FEMALE THREAD	225	N/A	10/BAG
75B3/4	¾" FEMALE COUPLER X ¾" MALE THREAD	300	EPDM	10/BAG
075C	¾" FEMALE COUPLER X ¾" HOSE BARB	300	EPDM	10/BAG
075D	¾" FEMALE COUPLER X ¾" FEMALE THREAD	300	EPDM	10/BAG
075E	¾" MALE ADAPTER X ¾" HOSE BARB	300	N/A	10/BAG
075F	¾" MALE ADAPTER X ¾" MALE THREAD	300	N/A	10/BAG
075CAP	¾" CAP X MALE ADAPTER	300	EPDM	10/BAG
75PL	¾" PLUG X FEMALE COUPLER	300	N/A	10/BAG

1" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
100A	1" MALE ADAPTER X 1" FEMALE THREAD	300	N/A	10/BAG
100B	1" FEMALE COUPLER X 1" MALE THREAD	300	EPDM	10/BAG
100C	1" FEMALE COUPLER X 1" HOSE BARB	300	EPDM	10/BAG
100D	1" FEMALE COUPLER X 1" FEMALE THREAD	300	EPDM	10/BAG
100E	1" MALE ADAPTER X 1" HOSE BARB	300	N/A	10/BAG
100F	1" MALE ADAPTER X 1" MALE THREAD	300	N/A	10/BAG
100125CAP	1" CAP X MALE ADAPTER	300	EPDM	10/BAG
100125PL	1" PLUG X FEMALE COUPLER	300	N/A	10/BAG

1¼" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
125A	1" MALE ADAPTER X 1¼" FEMALE THREAD	300	N/A	10/BAG
125B	1" FEMALE COUPLER X 1¼" MALE THREAD	300	EPDM	10/BAG
125C	1" FEMALE COUPLER X 1¼" HOSE BARB	300	EPDM	10/BAG
125D	1" FEMALE COUPLER X 1¼" FEMALE THREAD	300	EPDM	10/BAG
125E	1" MALE ADAPTER X 1¼" HOSE BARB	300	N/A	10/BAG
125F	1" MALE ADAPTER X 1¼" MALE THREAD	300	N/A	10/BAG
100125CAP	1" CAP X MALE ADAPTER	300	EPDM	10/BAG
100125PL	1" PLUG X FEMALE COUPLER	300	N/A	10/BAG

1½" X 1¼" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
150125A	1½" MALE ADAPTER X 1¼" FEMALE THREAD	225	N/A	10/BAG
150125B	1½" FEMALE COUPLER X 1¼" MALE THREAD	300	EPDM	10
150125C	1½" FEMALE COUPLER X 1¼" HOSE BARB	300	EPDM	10
150125D	1½" FEMALE COUPLER X 1¼" FEMALE THREAD	300	EPDM	10
150125E	1½" MALE ADAPTER X 1¼" HOSE BARB	225	EPDM	10/BAG
150125F	1½" MALE ADAPTER X 1¼" MALE THREAD	300	N/A	10/BAG
150CAP	1½" CAP X MALE ADAPTER	300	EPDM	10
150PL	1½" PLUG X FEMALE COUPLER	225	N/A	10/BAG

1½" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
150A	1½" MALE ADAPTER X 1½" FEMALE THREAD	225	N/A	10/BAG
150B	1½" FEMALE COUPLER X 1½" MALE THREAD	300	EPDM	10
150C	1½" FEMALE COUPLER X 1½" HOSE BARB	300	EPDM	10
150D	1½" FEMALE COUPLER X 1½" FEMALE THREAD	300	EPDM	10
150E	1½" MALE ADAPTER X 1½" HOSE BARB	200	N/A	10/BAG
150F	1½" MALE ADAPTER X 1½" MALE THREAD	300	N/A	10/BAG
150CAP	1½" CAP X MALE ADAPTER	300	EPDM	10
150PL	1½" PLUG X FEMALE COUPLER	225	N/A	10/BAG



2" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
200A	2" MALE ADAPTER X 2" FEMALE THREAD	225	N/A	10/BAG
200B	2" FEMALE COUPLER X 2" MALE THREAD	225	EPDM	20
201B	2" FEMALE COUPLER X 2" EXTENDED MALE THREAD	200	EPDM	10
200C	2" FEMALE COUPLER X 2" HOSE BARB	225	EPDM	20
200D	2" FEMALE COUPLER X 2" FEMALE THREAD	200	EPDM	20
200E	2" MALE ADAPTER X 2" HOSE BARB	200	N/A	10/BAG
200F	2" MALE ADAPTER X 2" MALE THREAD	300	N/A	10/BAG
200CAP	2" CAP X MALE ADAPTER	200	EPDM	20
200CAPSH	2" CAP X MALE ADAPTER W/SHORT ARMS	200	EPDM	10
200PL	2" PLUG X FEMALE COUPLER	225	N/A	10/BAG

2" X 1½" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
200150C	2" FEMALE COUPLER X 1½" HOSE BARB	300	EPDM	10

2½" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
250CAP	2½" CAP X MALE ADAPTER	300	EPDM	1



3" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
300A	3" MALE ADAPTER X 3" FEMALE THREAD	100	N/A	10
300B	3" FEMALE COUPLER X 3" MALE THREAD	150	EPDM	10
303B	3" FEMALE COUPLER X 3" EXTENDED MALE THREAD	200	EPDM	10
303B200A	3" FEMALE COUPLER W/ 3 ARMS X 2" MALE ADAPTER	200	EPDM	10
300C	3" FEMALE COUPLER X 3" HOSE BARB	200	EPDM	10
303C	3" FEMALE COUPLER W/ 3 ARMS X 3" HOSE BARB	200	EPDM	10
300D	3" FEMALE COUPLER X 3" FEMALE THREAD	200	EPDM	10
300E	3" MALE ADAPTER X 3" HOSE BARB	150	N/A	10
300F	3" MALE ADAPTER X 3" MALE THREAD	100	N/A	10
300CAP	3" CAP X MALE ADAPTER	100	EPDM	10
300PL	3" PLUG X FEMALE COUPLER	150	N/A	10

4" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
400A	4" MALE ADAPTER X 4" FEMALE THREAD	75	N/A	10
400B	4" FEMALE COUPLER X 4" MALE THREAD	150	EPDM	10
400C	4" FEMALE COUPLER X 4" HOSE BARB	150	EPDM	10
400D	4" FEMALE COUPLER X 4" FEMALE THREAD	100	EPDM	10
400E	4" MALE ADAPTER X 4" HOSE BARB	50	N/A	10
400F	4" MALE ADAPTER X 4" MALE THREAD	75	N/A	10
400CAP	4" CAP X MALE ADAPTER (W/2 ARMS)	100	EPDM	10
400PL	4" PLUG X FEMALE COUPLER	75	N/A	10

¼"-4" POLYPROPYLENE

FEATURES

- Stainless steel rings, arms and pins
- Versatile — interchangeable with all types of cam lever couplings
- Precision molded — ensures a uniform and accurate fit
- Durable — polypropylene is glass reinforced for rugged strength
- Smooth operating — finger rings are designed for easy opening of cam levers
- Economical and superior in performance
- Where noted, parts must be ordered in bag quantities
- ¼",⅜" and ½" series couplings interchange with ¾" size couplings. Coupling ends are ¾" size.
- 1¼" series couplings interchange with 1" size couplings. Coupling ends are 1" size.
- 1½" x 1¼" couplings interchange with 1½" size couplings. Coupling ends are 1½" size.



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.

CAM LEVER COUPLINGS

¼"-4" POLYPROPYLENE

FEATURES

- Chemical resistant to protect against corrosion
- Versatile to interchange with all types of cam lever couplings
- Smooth operation makes connections quick and easy
- Where noted, parts must be ordered in bag quantities
- Locking cam arm lever is not intended to be used as a security device or prevent unauthorized opening of coupling assembly.



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.

EASY ACTION LOCKING LEVER!







EPDM



FKM

LOCKING ARM WITH RING

PIN



1½"- 2" SERIES LOCKING POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
L200B	2" FEMALE COUPLER X 2" MALE THREAD	225	EPDM	1
L200C	2" FEMALE COUPLER X 2" HOSE BARB	225	EPDM	1
L200D	2" FEMALE COUPLER X 2" FEMALE THREAD	200	EPDM	1
L200CAP	2" CAP X MALE ADAPTER	200	EPDM	1

SPOOL ADAPTERS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
200FF	2" MALE ADAPTER X 2" MALE ADAPTER	150	N/A	10/BAG
300F200F	3" MALE ADAPTER X 2" MALE ADAPTER	75	N/A	10
300FF	3" MALE ADAPTER X 3" MALE ADAPTER	75	N/A	10

REPLACEMENT PARTS

PART NO	DESCRIPTION	LOT QTY
100RING	RING FITS ¾" & 1"	10
150RING	RING FITS 1½", 2", 3", 4"	10
150(200)K	1½", 2" SS CAM ARM W/RING	1
300K	3" SS CAM ARM WITH RING	1
V20207	11" LANYARD	25
75G	½" & ¾" EPDM GASKET	25
75GV	¾" FKM GASKET	10
100G	1" & 1¼" EPDM GASKET	25
100GV	1" & 1¼" FKM GASKET	10
150G	1½" EPDM GASKET	25
150GV	1½" FKM GASKET	10
200G	2" EPDM GASKET	25
200GV	2" FKM GASKET	10
300G	3" EPDM GASKET	25
300GV	3" FKM GASKET	10
400G	4" EPDM GASKET	1
200KL	2" LOCKING CAM ARM WITH RING FITS 1½" & 2"	1
200PKL	2" COUPLING PIN FITS 1½" & 2"	1
200P	2" COUPLING PIN	1
300P	3" COUPLING PIN	1

A



B



C



D



1½" 90° POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
150A90	1½" 90° MALE ADAPTER X 1½" FEMALE THREAD	225	N/A	10/BAG
150C90	1½" 90° FEMALE COUPLER X 1½" HOSE BARB	225	EPDM	10
150D90	1½" 90° FEMALE COUPLER X 1½" FEMALE THREAD	300	EPDM	10
150F90	1½" 90° MALE ADAPTER X 1½" MALE THREAD	300	N/A	10/BAG

2" 90° SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
200A90	2" 90° MALE ADAPTER X 2" FEMALE THREAD	225	N/A	10/BAG
200B90	2" 90° FEMALE COUPLER X 2" MALE THREAD	225	EPDM	10
200C90	2" 90° FEMALE COUPLER X 2" HOSE BARB	225	EPDM	10
200D90	2" 90° FEMALE COUPLER X 2" FEMALE THREAD	200	EPDM	10
200F90	2" 90° MALE ADAPTER X 2" MALE THREAD	225	N/A	10/BAG

2" 45° POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	LOT QTY
200F45	2" 45° MALE ADAPTER X 2" MALE THREAD	225	N/A	10/BAG

F90



F45







GARDEN HOSE FITTINGS

PART NO	DESCRIPTION	MAX PSI	LOT QTY
GHFT075A	¾" ADAPTER X ¾" GARDEN HOSE FEMALE THREAD	225	10/BAG
GHMT075B	¾" COUPLER X ¾" GARDEN HOSE MALE THREAD	300	10/BAG
GHFT075D	¾" COUPLER X ¾" GARDEN HOSE FEMALE THREAD	300	10/BAG
GHMT075F	¾" ADAPTER X ¾" GARDEN HOSE MALE THREAD	300	10/BAG
GHFT075MPT	¾" MALE NPT X ¾" GARDEN HOSE FEMALE THREAD	300	10/BAG
GHMT075FPT	¾" FEMALE NPT X ¾" GARDEN HOSE MALE THREAD	300	10/BAG
GHMT075MPT	¾" MALE NPT X ¾" GARDEN HOSE MALE THREAD	300	10/BAG
GHFT075G	¾" GARDEN HOSE FITTING GASKET	N/A	25

GARDEN HOSE NOZZLE


PART NO	DESCRIPTION	MAX PSI	QTY
GHN075	¾" GARDEN HOSE SPRAY NOZZLE	N/A	1











Spray nozzle patterns



A



B





D



F





1½"-2" 90° & 45° POLYPROPYLENE

FEATURES

- Precision molded in polypropylene, reinforced with fiberglass for strength
- Stainless steel rings, arms and pins resist corrosion
- 90° angle couplings and adapters will reduce the number of elbows and other pipe fittings used in plumbing applications



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.

GARDEN HOSE FITTINGS & NOZZLE

- Same construction and design that farmers use for their heavy spraying applications.
- Rugged, secure quick-connect cam arms
- Heavy-duty thick wall reinforced polypropylene
- Proven, leak-free construction
- Full flow design

FEATURES

- Heavy duty machined aluminum construction stands up to hard use
- Comfort grip soft rubber
- Resists dents, mars and scratches; protects any surface that comes in contact with nozzle
- Aluminum hose connection provides a tight fit, will not rust
- Multiple spray pattern adjusts from a powerful jet stream to a gentle fan spray. Ideal for all your spraying needs.
- Stainless steel spray cap for precise spray patterns